

Ultra Flatplate

2019 / 2020



DETA

Ultra Flatplate



Ultra Flatplate provides a sophisticated and contemporary solution for a modern home or office, introducing a finishing touch that is stylish and elegant.

The ultra slim profile with its choice of Chrome or Stainless Steel finishes with black or white inserts and matching metal rockers, fits unobtrusively into any modern décor, complementing both looks and style.


Products in the **Ultra Flatplate** range are guaranteed for 25 years. (2 years for electronic products).

Product Features

Ultra Flatplate range has been designed to fit completely into every aspect of modern life.

The comprehensive range of products covers all applications, ensuring conformity of all fittings, including data plates. The wide range of finishes harmonise with any colour scheme.

Curved metal rockers operate with a smooth, positive action, and are available on all products.



Finishes

Available from stock in the following finishes



Chrome



Stainless Steel

(Available September 2019)

Contents

Socket Outlets	3
USB Charging Socket Outlets	3
Round Pin Socket Outlets	3
Plate Switches	4
Dimmer Switches	4
Connection Units	5
Accessories	5
20A Double Pole Switches	6
50A Double Pole Switches	6

Cooker Control Units	7
Shaver Socket	7
Telephone Outlets	7
TV Outlets	8
Blank Plates	8
Media Plates	9
Data Plates	9
Modules	10

Socket Outlets

- Top facing terminal screws
- Clear terminal markings
- Colour coded terminals
- Recessed earth bar
- 2 earth terminals on 2 gang sockets
- Captive and backed out terminals
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance with BS 1363: Part 2
- 25-year guarantee

Double Pole - 13 Amp
Chrome/Stainless Steel
8131CH 1 gang switched
8131SS

8132CH 2 gang switched
8132SS



USB Charging Socket Outlets

- 8174 USB ports deliver up to 4.0A (3.0A + 1A) simultaneous charging current across 3 ports
- 8174 uses auto IC technology to detect connected devices and provide optimised high-speed charging
- 8174 fits Deta 35mm flush metal and dry lining boxes
- 8173 USB ports deliver up to 3.4A (2.4A + 1A) simultaneous charging current across 2 ports
- 8173 fits Deta 47mm flush metal and dry lining boxes
- In compliance with BS 1363:Part 2
- 2-year guarantee

Single Pole - 13 Amp + 4.0A USB
Chrome/Stainless Steel
8174CH 2 gang switched and 3 USB charging ports
8174SS

Double Pole - 13 Amp + 3.4A USB
Chrome/Stainless Steel
8173CH 2 gang switched and 2 USB charging ports
8173SS



Round Pin Socket Outlets

- Top facing terminal screws
- Clear terminal markings
- Colour coded terminals
- Recessed earth bar
- 2 earth terminals on 2 gang sockets
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance BS 546
- 25-year guarantee

Unswitched
Chrome/Stainless Steel
8138CH 1 gang 5A unswitched
8138SS



Back Boxes
minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547
2g	DB165	DB2548

Plate Switches

- All plate switches are X-rated and can be used for switching inductive or fluorescent loads without de-rating
- Clear terminal markings
- Captive and backed out terminals (except 8106 and 8107)
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

10 Amp

Chrome/Stainless Steel

8101CH 1 gang 2-way
8101SS

8102CH 2 gang 2-way
8102SS

8103CH 3 gang 2-way
8103SS

8104CH 4 gang 2-way
8104SS

8106CH Intermediate
8106SS

8107CH 3 pole fan isolator
8107SS

Back Boxes

minimum recommended depth

	flush 25mm	dry lining 35mm
1-3g	DB162	DB2547
4-6g	DB163	DB2548



8101CHW



8102SSB



8104CHW



8106CHW



8107SSB

Dimmer Switches

- Universal dimmers suitable for use with dimmable LED lamps (requiring leading or trailing edge control), incandescent lamps or low voltage lamps
- Suitable for loads up to 100W LED, 250W incandescent
- Clear terminal markings
- Push on / push off dimmers are suitable for 2-way circuits
- Spare dimmer knobs available
- In compliance with BS EN 60669-2-1, BS55014-1, BS 55014-2
- 2-year guarantee

Universal Dimmers

Chrome/Stainless Steel

8125CH 1 gang 2-way
8125SS

8126CH 2 gang 2-way
8126SS



8125CH



8126SS

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547

Chrome and Stainless Steel finish available with either black or white inserts.

When ordering, please indicate preference by adding suffix B or W at the end of the catalogue number.

Connection Units

- Lockable fuse carrier for safety isolation
- Captive fuse carrier
- Clear terminal markings
- Colour coded terminals
- Discreet neons
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS 1363: Part 4 as applicable
- 25-year guarantee

13 Amp Unswitched

Chrome/Stainless Steel

8141CH* Unswitched spur
8141SS*

13 Amp Switched

Chrome/Stainless Steel

8142CH Switched spur
8142SS

8143CH Switched spur with neon
8143SS

8144CH* Switched spur with neon and flex outlet
8144SS*



8141CHW



8142SSB



8143CHW



8144SSB

Back Boxes

minimum recommended depth

	flush	dry lining
	35mm	35mm
1g	DB164	DB2547

Accessories

Spares

Chrome/Stainless Steel

SP0004CH Dimmer knobs (Pack of 10)
SP0004SS

Longer Length Fixing Screws

Chrome/Stainless Steel

SP0002CH 50mm length (Pack of 10)
SP0002SS
SP0003CH 75mm length (Pack of 10)
SP0003SS



SP0002CH

20A Double Pole Switches

- Matching metal rockers
- Grey font markings
- Clear terminal markings
- Colour coded terminals
- Discreet neons
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

20 Amp

Chrome/Stainless Steel

8156CH Switch with neon
8156SS



8156CHW



8156SSB

Back Boxes

minimum recommended depth

	flush	dry lining
	35mm	35mm
1g	DB164	DB2547

50A Double Pole Switches

- Matching metal rockers
- Grey font markings
- Clear terminal markings
- Colour coded terminals
- Discreet neons
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

50 Amp

Chrome/Stainless Steel

8160CH Switch with neon
8160SS

8152CH Tall switch with neon
8152SS



8160CHW



8160SSB



8152CHW



8152SSB

Back Boxes

minimum recommended depth

	flush	dry lining
	47mm	46mm
1g	DB167	DB2542
2g	DB168	DB2543

Chrome and Stainless Steel finish available with either black or white inserts.

When ordering, please indicate preference by adding suffix B or W at the end of the catalogue number.

*Special order product, minimum order quantity and lead time applies

Cooker Control Units

- Matching metal rockers
- Grey font markings
- Clear terminal markings
- Colour coded terminals
- Discreet neons
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- Cooker cable outlet available, see page 49
- In compliance with BS 4177
- 25-year guarantee

45 Amp

Chrome/Stainless Steel

8154CH 45A Switch + 13A switched socket

8154SS



8154CHW



8154SSB

Shaver Socket

- Clear terminal markings
- Colour coded terminals
- Dual voltage outlet
- Output rating 115V or 240V
- Neon indicator
- Grey font marking
- 2 earth terminals
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance with BS 4573, BS 60742
- 2-year guarantee

Shaver Sockets

Chrome/Stainless Steel

8171CH Dual voltage with neon

8171SS

Back Boxes

minimum recommended depth

	flush 47mm	dry lining 46mm
2g	DB168	DB2543



8171CHW



8171SSB

Telephone Outlets

- Clear terminal markings
- IDC terminals on UK version
- Screw terminals on RJ11
- OfTel approved to NS/G/23/L/100005
- 2-year guarantee

Telephone Outlets

Chrome/Stainless Steel

8181CH Single master

8181SS

8183CH Single secondary

8183SS

8185CH* RJ11

8185SS*

Back Boxes

minimum recommended depth

	flush 25mm	dry lining 35mm
1g	DB162	DB2547



8181SSB



8183CHW



8185CHW

TV Outlets

- Clear terminal markings
- Suitable for standard co-axial BS 3041 plugs
- 2-year guarantee

TV Outlets

Chrome/Stainless Steel

8191CH Single co-axial isolated
8191SS

8192CH* TV/FM (DAB) diplexer
8192SS*

8193CH* TV/F type
8193SS*

8194CH* TV/FM (DAB)/satellite triplexer
8194SS*

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547



8191CHW



8192SSB



8193CHW



8194SSB

Blank Plates


- In compliance with BS 5733
- 25-year guarantee

Blank Plates

Chrome/Stainless Steel

8161CH 1 gang
8161SS

8162CH 2 gang
8162SS




8161CH



8161SS



8162CH



8162SS

Chrome and Stainless Steel finish available with either black or white inserts.

When ordering, please indicate preference by adding suffix B or W at the end of the catalogue number.

*Special order product, minimum order quantity and lead time applies


Media Plates

- Black or white inserts available
- Metal capped rocker
- Top facing terminal screws
- Clear terminal markings
- Colour coded terminals
- Recessed earth bar
- Captive and backed out terminals
- Up to six single data modules can be installed in a Media Plate
- Flush back box - 40mm deep (DB184) has segregation between LV and ELV sections
- Full range of TV and data modules available, see page 89
- 25-year guarantee

Media Plates

Chrome/Stainless Steel

8175CH 4 gang 13A socket and 6 data module spaces
8175SS



8175CHB

Media Plate

Where multiple power, telecom, TV and AV outlets are required in one place, Deta's Media Plate provides the perfect solution.

Deta Media Plates provide the flexibility to configure the installation to meet your individual requirements.

To make the installation even easier, the flush mounting box has a divider between the mains voltage sockets and the extra low voltage modules (refer to BS7671 IEE Wiring Regulations).

Also available in Slimline and Slimline Décor ranges.

Back Box

	width	height	depth
DB184	250mm	192mm	40mm

Data Plates

- Accepts standard 50x25mm modules
- Full range of power, TV and data modules available, see page 89
- 25-year guarantee

Data Plates

Chrome/Stainless Steel

8186CH One module
8186SS

8187CH Two module
8187SS

8189CH Four module
8189SS



8186CHW



8187SSW



8189CHW

Back Boxes

depends on modules being used
minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547
2g	DB165	DB2548

Chrome and Stainless Steel finish available with either black or white inserts.

When ordering, please indicate preference by adding suffix B or W at the end of the catalogue number.

Modules

- 25-year guarantee for power modules
- 2-year guarantee for USB charging, data and TV modules

USB Charging Module

S1445 USB charging outlet - 2 x 1A - white
Back box must be 35mm deep



S1445

S1445BK

Power Modules

S1446* 13A socket - white
S1447* 16A 250V German socket - white
S1448* 15A 125V American socket - white
S1449* 16A 250V French socket - white
Back box must be 35mm deep



S1446

S1446BK

S1448

S1449

Blanks/Brush Modules

S1425 Brush cable outlet - 2 module - white
S1428 Blank - 1/2 module - white
S1429 Blank - 1 module - white



S1425

S1425BK

Telephone Modules

S1430 Single master - white
S1431 Single secondary - white
S1432 RJ11 - white



S1428WH

S1428BK

S1429WH

S1429BK

Data Modules

S1433 RJ45 - white
S1434 Cat 6 - white



S1430WH

S1430BK

S1432WH

S1432BK

S1433WH

TV Modules

S1435 Co-axial male - white
S1436 Co-axial female "return" - white
S1442 Co-axial female "TV" - white
S1437 F Type - white
S1438 TV/FM (DAB) diplexer - white
S1439 TV/FM (DAB)/satellite triplexer - white
S1440 TV/FM (DAB)/satellite quadplexer - white
S1441 HDMI - white



S1435WH

S1435BK

S1436WH

S1436BK



S1441WH

S1442WH

S1442BK

S1437WH



S1438WH

S1438BK

S1439WH

S1439BK

S1440WH

S1440BK

Data modules also available in black.
Please add suffix BK to catalogue no.
e.g. S1428BK

Power Modules need to be installed in accordance with the current edition of the wiring regulations (BS7671 IET Wiring Regulations).
ELV Modules and Power Modules must not be mixed in the same compartment.

*Special order product, minimum order quantity and lead time applies



DETA

Deta Electrical company Limited
Kingsway House Laporte Way
Luton Bedfordshire LU4 8RJ UK

t: +44 (0) 1582 544 544
f: +44 (0) 1582 544 501
e: sales@detaelectrical.co.uk
w: detaelectrical.co.uk