

Ultra Screwless

2019 / 2020



DETA

Ultra Screwless



Ultra Screwless is the ultimate metal plate range of wiring accessories, combining modern minimalistic styling with a screwless appearance.




Ultra Screwless offers a comprehensive range of accessories available in a choice of Chrome, Stainless Steel or White finishes with either white or black inserts. The ultra slim clip on front plate provides a clean, flawless look that will complement any modern domestic or commercial building.

Products in the **Ultra Screwless** range are guaranteed for 25 years.
(2 years for electronic products).

Product Features

Ultra Screwless has been designed with the professional in mind, all products can be fully installed and tested before the addition of the screwless frontplates, which simply but securely clip onto the mounting system.

The removable frontplates also provide a practical solution when decorating.




Finishes

Available from stock in the following finishes



Also available on a special made to order basis in the following finishes



Contents

Socket Outlets	3	50A Double Pole Switches	7
USB Charging Socket Outlets	3	Cooker Control Units	7
Round Pin Socket Outlets	4	Shaver Socket	7
Plate Switches	4	Telephone Outlets	8
Dimmer Switches	5	TV Outlets	8
Accessories	5	Blank Plates	9
Connection Units	6	Data Plates	9
20A Double Pole Switches	6	Modules	10

Socket Outlets

- Top facing terminal screws
- Clear terminal markings
- Colour coded terminals
- Recessed earth bar
- Captive and backed out terminals
- 2 earth terminals on 2 gang sockets
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance with BS 1363: Part 2
- 25-year guarantee

Unswitched - 13 Amp

Chrome/Stainless Steel/White

8535CH 1 gang unswitched
8535SS
8535WH

8536CH* 2 gang unswitched
8536SS*
8536WH*

Double Pole - 13 Amp

Chrome/Stainless Steel/White

8531CH 1 gang switched
8531SS
8531WH

8532CH 2 gang switched
8532SS
8532WH



8535SSB



8536WHW



8531CHW



8531WHW



8532SSB

USB Charging Socket Outlets

- 8574 USB ports deliver up to 4.0A (3.0A + 1A) simultaneous charging current across 3 ports
- 8574 uses auto IC technology to detect connected devices and provide optimised high-speed charging
- 8574 fits Deta 35mm flush metal and dry lining boxes
- 8573 USB ports deliver up to 3.4A (2.4A + 1A) simultaneous charging current across 2 ports
- 8573 fits Deta 35mm flush metal and dry lining boxes
- In compliance with BS 1363:Part 2
- 2-year guarantee

Single Pole - 13 Amp + 4.0A USB

Chrome/Stainless Steel/White

8574CH 2 gang switched and 3 USB charging ports
8574SS
8574WH

Double Pole - 13 Amp + 3.4A USB

Chrome/Stainless Steel/White

8573CH 2 gang switched and 2 USB charging ports
8573SS
8573WH



8573CHW



8574SSB

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547
2g	DB165	DB2548

Round Pin Socket Outlets

- Top facing terminal screws
- Clear terminal markings
- Colour coded terminals
- Captive and backed out terminals
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins

- In compliance with BS 546
- 25-year guarantee

Unswitched

Chrome/Stainless Steel/White

8538CH 1 gang 5A unswitched

8538SS

8538WH

Back Boxes

minimum recommended depth

	flush	dry lining
	35mm	35mm
1g	DB164	DB2547



8538CHW



8538SSB



8538WHW

Plate Switches

- All plate switches are X-rated and can be used for switching inductive or fluorescent loads without de-rating
- Clear terminal markings
- Captive and backed out terminals (except 8506 and 8507)
- Only one size 4mm screwdriver needed

- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

10 Amp

Chrome/Stainless Steel/White

8501CH 1 gang 2-way

8501SS

8501WH

8502CH 2 gang 2-way

8502SS

8502WH

8503CH 3 gang 2-way

8503SS

8503WH

8504CH 4 gang 2-way

8504SS

8504WH

8506CH Intermediate

8506SS

8506WH

8507CH 3 pole fan isolator

8507SS

8507WH

Back Boxes

minimum recommended depth

	flush	dry lining
	25mm	35mm
1-3g	DB162	DB2547
4g	DB163	DB2548



8501CHW



8502SSB



8503WHW



8504SSB



8507CHW

Chrome and Stainless Steel finish available with either white or black inserts. White finish available with white inserts only. When ordering, please indicate preference by adding suffix W or B at the end of the catalogue number.

*Special order product, minimum order quantity and lead time applies

Dimmer Switches

- Universal dimmers suitable for use with dimmable LED lamps (requiring leading or trailing edge control), incandescent lamps or low voltage lamps
- Suitable for loads up to 100W LED, 250W incandescent
- Clear terminal markings
- Push on / push off dimmers are suitable for 2-way circuits
- Spare dimmer knobs available
- In compliance with BS EN 60669-2-1, BS55014-1, BS 55014-2
- 2-year guarantee

Universal Dimmers

Chrome/Stainless Steel/White

8525CH 1 gang 2-way

8525SS

8525WH

8526CH 2 gang 2-way

8526SS

8526WH

Back Boxes

minimum recommended depth

	flush 35mm	dry lining 35mm
1g	DB164	DB2547



8525CH




8525SS



8525WH



8526CH



8526SS



8526WH

Accessories

Spares

Chrome/Stainless Steel/White

SP0004CH Dimmer knobs (Pack of 10)

SP0004SS

SP0004WH

Longer Length Fixing Screws

SP0002CH 50mm length (Pack of 10) - chrome

SP0003CH 75mm length (Pack of 10) - chrome



SP0002CH

Connection Units

- Lockable fuse carrier for safety isolation
- Captive fuse carrier
- Clear terminal markings
- Colour coded terminals
- Discreet neon
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS 1363: Part 4
- 25-year guarantee

13Amp Unswitched

Chrome/Stainless Steel/White

8541CH* Unswitched spur

8541SS*

8541WH*

13Amp Switched

Chrome/Stainless Steel/White

8542CH Switched spur

8542SS

8542WH

8543CH Switched spur with neon

8543SS

8543WH

8544CH* Switched spur with neon and flex outlet

8544SS*

8544WH*



8541CHW



8542WHW



8543SSB



8544CHW

20A Double Pole Switches

- Matching metal rockers
- Clear terminal markings
- Colour coded terminals
- Discreet neon
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

20 Amp

Chrome/Stainless Steel/White

8555CH* Switch

8555SS*

8555WH*

8556CH Switch with neon

8556SS

8556WH

8557CH* Switch with flex outlet

8557SS*

8557WH*



8555CHW



8556SSB



8557WHW

Back Boxes

minimum recommended depth

	flush	dry lining
	35mm	35mm
1g	DB164	DB2547

*Special order product, minimum order quantity and lead time applies

Chrome and Stainless Steel finish available with either white or black inserts. White finish available with white inserts only. When ordering, please indicate preference by adding suffix W or B at the end of the catalogue number.

50A Double Pole Switches

- Matching metal rockers
- Grey font marking
- Clear terminal markings
- Colour coded terminals
- Discreet neon
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- In compliance with BS EN 60669-1
- 25-year guarantee

50 Amp

Chrome/Stainless Steel/White

8551CH* Tall switch

8551SS*

8551WH*

8552CH Tall switch with neon

8552SS

8552WH



8551CHW



8551WHW

Cooker Control Units

- Matching metal rockers
- Grey font engraving
- Clear terminal markings
- Colour coded terminals
- Discreet neon
- Neon leads enclosed
- 2 earth terminals
- Captive and backed out terminals
- Terminals have large lead-ins
- Cooker cable outlet available S1217, see page 49
- In compliance with BS 4177
- 25-year guarantee

45 Amp

Chrome/Stainless Steel/White

8554CH Dual voltage with neon

8554SS

8554WH



8554SSB



8554WHW

Shaver Socket

- Clear terminal markings
- Colour coded terminals
- Dual voltage outlet
- Output rating 115V or 240V
- Neon indicator
- Grey font engraving
- 2 earth terminals
- Only one size 4mm screwdriver needed
- Terminals have large lead-ins
- In compliance with BS 4573, BS 60742
- 2-year guarantee

Shaver Socket

Chrome/Stainless Steel/White

8571CH Dual voltage with neon

8571SS

8571WH

Back Boxes

minimum recommended depth

	flush	dry lining
	47mm	46mm
2g	DB168	DB2543



8571CHW



8571SSB

Telephone Outlets

- Clear terminal markings
- IDC terminals on UK version
- Screw terminals on RJ11
- OfTel approved to NS/G/23/L/100005
- 2-year guarantee

Telephone Outlets

Chrome/Stainless Steel/White

8581CH* Single master

8581SS*

8581WH*

8583CH Single secondary

8583SS

8583WH

8585CH* RJ11

8585SS*

8585WH*

Back Boxes

minimum recommended depth

	flush	dry lining
	25mm	35mm
1g	DB162	DB2547



8581SSB



8583WHW



8585SCHW

TV Outlets

- Clear terminal markings
- Suitable for standard co-axial BS 3041 plugs
- 2-year guarantee

TV Outlets

Chrome/Stainless Steel/White

8591CH Single co-axial isolated

8591SS

8591WH

8592CH* TV/FM (DAB) diplexer

8592SS*

8592WH*

8593CH* TV/F type

8593SS*

8593WH*

8594CH* TV/FM (DAB)/satellite triplexer

8594SS*

8594WH*

Back Boxes

minimum recommended depth

	flush	dry lining
	35mm	35mm
1g	DB164	DB2547



8591SSB



8592CHW



8593WHW



8594CHW

Chrome and Stainless Steel finish available with either white or black inserts. White finish available with white inserts only. When ordering, please indicate preference by adding suffix W or B at the end of the catalogue number.

*Special order product, minimum order quantity and lead time applies

Blank Plates

- In compliance with BS 5733
- 25-year guarantee

Blank Plates
Chrome/Stainless Steel/White
8561CH 1 gang
8561SS
8561WH

8562CH 2 gang
8562SS
8562WH



Data Plates

- Accepts standard 50x25mm modules
- Full range of power, TV and data modules available, see page 99
- 25-year guarantee

Data Plates
Chrome/Stainless Steel/White
8586CH One module
8586SS
8586WH

8587CH Two module
8587SS
8587WH

8589CH Four module
8589SS
8589WH



Back Boxes
minimum recommended depth

	flush 25mm	dry lining 35mm
1g	DB162	DB2547
2g	DB163	DB2548

Chrome and Stainless Steel finish available with either white or black inserts. White finish available with white inserts only. When ordering, please indicate preference by adding suffix W or B at the end of the catalogue number.

Modules

- 25-year guarantee for power modules
- 2-year guarantee for USB charging, data and TV modules

USB Charging Module

S1445 USB charging outlet - 2 x 1A - white
Back box must be 35mm deep



Power Modules

S1446* 13A socket - white
S1447* 16A 250V German socket - white
S1448* 15A 125V American socket - white
S1449* 16A 250V French socket - white
Back box must be 35mm deep




Blanks/Brush Modules

S1425 Brush cable outlet - 2 module - white
S1428 Blank - 1/2 module - white
S1429 Blank - 1 module - white



Telephone Modules

S1430 Single master - white
S1431 Single secondary - white
S1432 RJ11 - white




Data Modules

S1433 RJ45 - white
S1434 Cat 6 - white



TV Modules

S1435 Co-axial male - white
S1436 Co-axial female "return" - white
S1442 Co-axial female "TV" - white
S1437 F Type - white
S1438 TV/FM (DAB) diplexer - white
S1439 TV/FM (DAB)/satellite triplexer - white
S1440 TV/FM (DAB)/satellite quadplexer - white
S1441 HDMI - white



Data modules also available in black.
Please add suffix BK to catalogue no.
e.g. S1428BK

Power Modules need to be installed in accordance with the current edition of the wiring regulations (BS7671 IET Wiring Regulations).
ELV Modules and Power Modules must not be mixed in the same compartment.

*Special order product, minimum order quantity and lead time applies



DETA

Deta Electrical company Limited
Kingsway House Laporte Way
Luton Bedfordshire LU4 8RJ UK

t: +44 (0) 1582 544 544
f: +44 (0) 1582 544 501
e: sales@detaelectrical.co.uk
w: detaelectrical.co.uk